

# CFP2000 Result

Copyright ©1999-2000, Standard Performance Evaluation Corporation

SPECfp2000 = 1113

SPECfp\_base2000 = 1003

SPEC license #00407 Tested by: Vladimir Makarov Test date: May 14, 2017 Hardware Avail: Now Software Avail: Now

Benchmark	Reference Time	Base Runtime	Base Ratio	Runtime	Ratio	
168.wupwise	1600	150	1070	99.7	1606	
171.swim	3100	338	918	325	954	
172.mgrid	1800	334	539	257	700	
173.applu	2100	226	929	193	1091	
177.mesa	1400	93.4	1498	91.4	1531	
178.galgel	2900	X	X	X	X	
179.art	2600	136	1906	129	2010	
183.quake	1300	171	759	165	789	
187.facerec	1900	174	1094	122	1552	
188.amp	2200	237	929	226	973	
189.lucas	2000	127	1574	122	1634	
191.fma3d	2100	194	1084	191	1102	
200.sixtrack	1100	198	555	240	459	
301.apsi	2600	258	1008	229	1136	

## Hardware

CPU: ARMv7Processorrev3(v7l)  
CPU MHz:  
FPU: Integrated  
CPU(s) enabled: 8  
CPU(s) orderable: No  
Parallel:  
Primary Cache:  
Secondary Cache:  
L3 Cache:  
Other Cache:  
Memory: 2038764kB  
Disk Subsystem:  
Other Hardware:

## Software

Operating System: Linux 3.10.82-39  
Compiler: gcc version 8.0.0 20170515 (experimental) (GCC)  
File System:  
System State: multiuser

## Notes/Tuning Information

Base flags: -O2  
Peak flags: -Ofast -flto -mtune=native

## Errors

'reportable' flag not set during run