

SPEC® CPU2017 Integer Speed Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

(Test Sponsor: Red Hat, Inc.)

~~SPECSspeed2017_int_base = 6.88~~

~~SPECSspeed2017_int_peak = 8.31~~

CPU2017 License: 0002991


Test Sponsor: Red Hat, Inc.

Tested by: Vladimir Makarov

Test Date: Jun-2024

Hardware Availability: Now

Software Availability:



Hardware	
CPU Name:	AMD Ryzen 7 3800X 8-Core Processor
Max MHz.:	3108.237
Nominal:	3108.237
Enabled:	16 cores, 1 chip, threads/core
Orderable:	
Cache L1:	
L2:	512 KB
L3:	
Other:	
Memory:	32889052 KB 'N GB (M x N GB nRxn PCn-nnnnnR-n, ECC)'
Storage:	372 GB add more disk info here
Other:	

Software	
OS:	Linux 5.5.11-200.fc31.x86_64
Compiler:	5.5.11-200.fc31.x86_64
Parallel:	gcc version 15.0.0 20240625 (experimental) (GCC)
Firmware:	Yes
File System:	ext4
System State:	multiuser
Base Pointers:	64-bit
Peak Pointers:	64-bit
Other:	

Errors

'reportable' flag not set during run

Unknown flags were used! See

<https://www.spec.org/cpu2017/Docs/runcpu.html#flagsurl>
for information about how to get rid of this error.

SPEC CPU2017 Integer Speed Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

(Test Sponsor: Red Hat, Inc.)

~~SPECspeed2017_int_base = 6.88~~

~~SPECspeed2017_int_peak = 8.31~~

CPU2017 License: 0002991

Test Sponsor: Red Hat, Inc.

Tested by: Vladimir Makarov

~~Test Date: Jun-2024~~

~~Hardware Availability: Now~~

~~Software Availability:~~

Results Table

Benchmark	Base								Peak							
	Threads	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Threads	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
600.perlbench_s	4	277	6.41	278	6.40	278	6.38	4	288	6.16	287	6.19	286	6.20		
602.gcc_s	4	401	9.92	399	9.99	396	10.0	4	360	11.1	358	11.1	357	11.2		
605.mcf_s	4	518	9.11	516	9.15	514	9.19	4	440	10.7	440	10.7	443	10.7		
620.omnetpp_s	4	418	3.91	418	3.91	418	3.91	4	355	4.60	354	4.61	354	4.61		
623.xalancbmk_s	4	214	6.62	214	6.63	212	6.67	4	200	7.07	204	6.96	201	7.03		
625.x264_s	4	200	8.82	197	8.96	196	8.98	4	134	13.2	135	13.1	135	13.1		
631.deepsjeng_s	4	357	4.01	354	4.04	356	4.03	4	264	5.43	263	5.46	264	5.43		
641.leela_s	4	381	4.48	385	4.43	381	4.47	4	316	5.41	315	5.41	312	5.47		
648.exchange2_s	4	245	12.0	241	12.2	245	12.0	4	142	20.7	143	20.5	142	20.7		
657.xz_s	4	762	8.11	755	8.19	757	8.16	4	745	8.30	746	8.29	745	8.30		
SPECspeed2017_int_base = 6.88				SPECspeed2017_int_peak = 8.31												

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

General Notes

Environment variables set by runcpu before the start of the run:

`LD_LIBRARY_PATH = "/notnfs/vmakarov/perf/sbox/gcc/local.spec2017.x86_64/inst.to-ryzen/lib64:/notnfs/vmakarov/perf/sbox/gcc/local.spec2017.x86_64/inst.to-ryzen/lib::/usr/lib64:/usr/lib:/lib64"`

Platform Notes

Sysinfo program /notnfs/vmakarov/spec2017/bin/sysinfo
Rev: r5797 of 2017-06-14 96c45e4568ad54c135fd618bcc091c0f
running on to-ryzen.usersys.redhat.com Tue Jun 25 16:57:32 2024

SUT (System Under Test) info as seen by some common utilities.

For more information on this section, see
<https://www.spec.org/cpu2017/Docs/config.html#sysinfo>

From /proc/cpuinfo
model name : AMD Ryzen 7 3800X 8-Core Processor
 1 "physical id"s (chips)
 16 "processors"
cores, siblings (Caution: counting these is hw and system dependent. The following
excerpts from /proc/cpuinfo might not be reliable. Use with caution.)
cpu cores : 8
siblings : 16
physical 0: cores 0 1 2 3 4 5 6 7

From lscpu:
Architecture: x86_64
CPU op-mode(s): 32-bit, 64-bit

(Continued on next page)

SPEC CPU2017 Integer Speed Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

(Test Sponsor: Red Hat, Inc.)

~~SPECspeed2017_int_base = 6.88~~

~~SPECspeed2017_int_peak = 8.31~~

CPU2017 License: 0002991

Test Sponsor: Red Hat, Inc.

Tested by: Vladimir Makarov

~~Test Date: Jun-2024~~

~~Hardware Availability: Now~~

~~Software Availability:~~

Platform Notes (Continued)

Byte Order:

Little Endian

Address sizes:

43 bits physical, 48 bits virtual

CPU(s):

16

On-line CPU(s) list:

0-15

Thread(s) per core:

2

Core(s) per socket:

1

Socket(s):

1

NUMA node(s):

AuthenticAMD

Vendor ID:

23

CPU family:

113

Model:

AMD Ryzen 7 3800X 8-Core Processor

Model name:

0

Stepping:

enabled

Frequency boost:

2123.474

CPU MHz:

3900.0000

CPU max MHz:

2200.0000

CPU min MHz:

7795.39

BogoMIPS:

AMD-V

Virtualization:

256 KiB

L1d cache:

256 KiB

L1i cache:

4 MiB

L2 cache:

32 MiB

L3 cache:

0-15

NUMA node0 CPU(s):

Not affected

Vulnerability Itlb multihit:

Not affected

Vulnerability L1tf:

Not affected

Vulnerability Mds:

Not affected

Vulnerability Meltdown:

Not affected

Vulnerability Spec store bypass: Mitigation; Speculative Store Bypass disabled via prctl and seccomp

Vulnerability Spectre v1: Mitigation; usercopy/swapgs barriers and __user pointer sanitization

Vulnerability Spectre v2: Mitigation; Full AMD retrampoline, IBPB conditional, STIBP always-on, RSB filling

Vulnerability Tsx async abort: Not affected

Flags: fpu vme de pse tsc msr pae mce cx8 apic sep mtrr pge mca cmov pat pse36 clflush mmx fxsr sse sse2 ht syscall nx mmxext fxsr_opt pdpe1gb rdtscp lm constant_tsc rep_good nopl nonstop_tsc cpuid extd_apicid aperfmperf pni pclmulqdq monitor ssse3 fma cx16 sse4_1 sse4_2 movbe popcnt aes xsave avx f16c rdrand lahf_lm cmp_legacy svm extapic cr8_legacy abm sse4a misalignsse 3dnowprefetch osvw ibs skinit wdt tce topoext perfctr_core perfctr_nb bpext perfctr_llc mwaitx cpb cat_l3 cdp_l3 hw_pstate sme ssbd mba sev ibpb stibp vmmcall fsgsbase bmi1 avx2 smep bmi2 cqm rdt_a rdseed adx smap clflushopt clwb sha_ni xsaveopt xsavec xgetbv1 xsaves cqm_llc cqm_occup_llc cqm_mbm_total cqm_mbm_local clzero irperf xsaveerptr rdpru wbnoinvd arat npt lbrv svm_lock nrip_save tsc_scale vmcb_clean flushbyasid decodeassists pausefilter pfthreshold avic v_vmsave_vmload vgif umip rdpid overflow_recov succor smca

(Continued on next page)

SPEC CPU2017 Integer Speed Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

(Test Sponsor: Red Hat, Inc.)

~~SPECspeed2017_int_base = 6.88~~

~~SPECspeed2017_int_peak = 8.31~~

CPU2017 License: 0002991

Test Sponsor: Red Hat, Inc.

Tested by: Vladimir Makarov

~~Test Date: Jun-2024~~

~~Hardware Availability: Now~~

~~Software Availability:~~

Platform Notes (Continued)

/proc/cpuinfo cache data
cache size : 512 KB

From numactl --hardware WARNING: a numactl 'node' might or might not correspond to a physical chip.

From /proc/meminfo

MemTotal: 32889052 kB
HugePages_Total: 0
Hugepagesize: 2048 kB

From /etc/*release* /etc/*version*
fedora-release: Fedora release 31 (Thirty One)
os-release:
 NAME=Fedora
 VERSION="31 (Workstation Edition)"
 ID=fedora
 VERSION_ID=31
 VERSION_CODENAME=""
 PLATFORM_ID="platform:f31"
 PRETTY_NAME="Fedora 31 (Workstation Edition)"
 ANSI_COLOR="0;34"
redhat-release: Fedora release 31 (Thirty One)
system-release: Fedora release 31 (Thirty One)
system-release-cpe: cpe:/o:fedoraproject:fedora:31

uname -a:
Linux to-ryzen.usersys.redhat.com 5.5.11-200.fc31.x86_64 #1 SMP Mon Mar 23 17:32:43
UTC 2020 x86_64 x86_64 x86_64 GNU/Linux

run-level 3 2024-06-02 10:19

SPEC is set to: /notnfs/vmakarov/spec2017

Filesystem	Type	Size	Used	Avail	Use%	Mounted on
/dev/mapper/fedora_localhost--live-home	ext4	372G	95G	259G	27%	/home

Additional information from dmidecode follows. WARNING: Use caution when you interpret this section. The 'dmidecode' program reads system data which is "intended to allow hardware to be accurately determined", but the intent may not be met, as there are frequent changes to hardware, firmware, and the "DMTF SMBIOS" standard.

(End of data from sysinfo program)

SPEC CPU2017 Integer Speed Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

(Test Sponsor: Red Hat, Inc.)

~~SPECspeed2017_int_base = 6.88~~

~~SPECspeed2017_int_peak = 8.31~~

CPU2017 License: 0002991

Test Sponsor: Red Hat, Inc.

Tested by: Vladimir Makarov

~~Test Date: Jun-2024~~

~~Hardware Availability: Now~~

~~Software Availability:~~

Compiler Version Notes

```
=====
CXXC 620.omnetpp_s(base, peak) 623.xalancbmk_s(base, peak)
    631.deepsjeng_s(base, peak) 641.leela_s(base, peak)
-----
Using built-in specs.
COLLECT_GCC=/notnfs/vmakarov/perf/sbox/gcc/local.spec2017.x86_64/inst.to-ryzen/bin/g++
COLLECT_LTO_WRAPPER=/home/vmakarov/notnfs/vmakarov/perf/sbox/gcc/local.spec2017.x86_64/inst.to-ryzen/bin/../libexec/gcc/x86_64-pc-linux-gnu/15.0.0/lto-wrapper
Target: x86_64-pc-linux-gnu
Configured with:
 /notnfs/vmakarov/perf/sbox/gcc/local.spec2017.x86_64/src/configure
--prefix=/notnfs/vmakarov/perf/sbox/gcc/local.spec2017.x86_64/inst.to-ryzen
--srcdir=/notnfs/vmakarov/perf/sbox/gcc/local.spec2017.x86_64/src
--disable-bootstrap --disable-libcilkrts --enable-checking=release
--enable-languages=c,c++,fortran
Thread model: posix
Supported LTO compression algorithms: zlib
gcc version 15.0.0 20240625 (experimental) (GCC)
-----
=====

CC 600.perlbench_s(base, peak) 602.gcc_s(base, peak) 605.mcf_s(base, peak)
    625.x264_s(base, peak) 657.xz_s(base, peak)
-----
Using built-in specs.
COLLECT_GCC=/notnfs/vmakarov/perf/sbox/gcc/local.spec2017.x86_64/inst.to-ryzen/bin/gcc
COLLECT_LTO_WRAPPER=/home/vmakarov/notnfs/vmakarov/perf/sbox/gcc/local.spec2017.x86_64/inst.to-ryzen/bin/../libexec/gcc/x86_64-pc-linux-gnu/15.0.0/lto-wrapper
Target: x86_64-pc-linux-gnu
Configured with:
 /notnfs/vmakarov/perf/sbox/gcc/local.spec2017.x86_64/src/configure
--prefix=/notnfs/vmakarov/perf/sbox/gcc/local.spec2017.x86_64/inst.to-ryzen
--srcdir=/notnfs/vmakarov/perf/sbox/gcc/local.spec2017.x86_64/src
--disable-bootstrap --disable-libcilkrts --enable-checking=release
--enable-languages=c,c++,fortran
Thread model: posix
Supported LTO compression algorithms: zlib
gcc version 15.0.0 20240625 (experimental) (GCC)
-----
=====

FC 648.exchange2_s(base, peak)
-----
Using built-in specs.
COLLECT_GCC=/notnfs/vmakarov/perf/sbox/gcc/local.spec2017.x86_64/inst.to-ryzen/bin/gfortran
COLLECT_LTO_WRAPPER=/home/vmakarov/notnfs/vmakarov/perf/sbox/gcc/local.spec2017.x86_64/inst.to-ryzen/bin/../libexec/gcc/x86_64-pc-linux-gnu/15.0.0/lto-wrapper
Target: x86_64-pc-linux-gnu
Configured with:
 /notnfs/vmakarov/perf/sbox/gcc/local.spec2017.x86_64/src/configure
```

(Continued on next page)

SPEC CPU2017 Integer Speed Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

(Test Sponsor: Red Hat, Inc.)

~~SPECspeed2017_int_base = 6.88~~

~~SPECspeed2017_int_peak = 8.31~~

CPU2017 License: 0002991

Test Sponsor: Red Hat, Inc.

Tested by: Vladimir Makarov

~~Test Date: Jun-2024~~

~~Hardware Availability: Now~~

~~Software Availability:~~

Compiler Version Notes (Continued)

```
--prefix=/notnfs/vmakarov/perf/sbox/gcc/local.spec2017.x86_64/inst.to-ryzen  
--srcdir=/notnfs/vmakarov/perf/sbox/gcc/local.spec2017.x86_64/src  
--disable-bootstrap --disable-libcilkrts --enable-checking=release  
--enable-languages=c,c++,fortran  
Thread model: posix  
Supported LTO compression algorithms: zlib  
gcc version 15.0.0 20240625 (experimental) (GCC)
```

Base Unknown Flags

600.perlbench_s: "-fcommonARRAY(0xabf2968) "-fcommonARRAY(0xac01818)
602.gcc_s: "-fcommonARRAY(0xac15cd0) "-fcommonARRAY(0xac16b10)
605.mcf_s: "-fcommonARRAY(0xabc9ac0) "-fcommonARRAY(0xac21a28)
620.omnetpp_s: "-fcommon -std=c++14ARRAY(0xac16168)
"-fcommon -std=c++14ARRAY(0xad32988)
623.xalancbmk_s: "-fcommon -std=c++14ARRAY(0xac16960)
"-fcommon -std=c++14ARRAY(0xad5dd98)
625.x264_s: "-fcommonARRAY(0xac15e38) "-fcommonARRAY(0xad5f2f0)
631.deepsjeng_s: "-fcommon -std=c++14ARRAY(0xac16348)
"-fcommon -std=c++14ARRAY(0xad5cf30)
641.leela_s: "-fcommon -std=c++14ARRAY(0xac5f6c8)
"-fcommon -std=c++14ARRAY(0xad5bfc0)
648.exchange2_s: "-fallow-argument-mismatchARRAY(0xad5d918)
"-fallow-argument-mismatchARRAY(0xad88bd8)
657.xz_s: "-fcommonARRAY(0xad5e068) "-fcommonARRAY(0xad99dc0)

Peak Unknown Flags

600.perlbench_s: "-fcommonARRAY(0xabf2968) "-fcommonARRAY(0xac01818)
602.gcc_s: "-fcommonARRAY(0xac15cd0) "-fcommonARRAY(0xac16b10)
605.mcf_s: "-fcommonARRAY(0xabc9ac0) "-fcommonARRAY(0xac21a28)

(Continued on next page)

SPEC CPU2017 Integer Speed Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

(Test Sponsor: Red Hat, Inc.)

~~SPECspeed2017_int_base = 6.88~~

~~SPECspeed2017_int_peak = 8.31~~

CPU2017 License: 0002991

Test Sponsor: Red Hat, Inc.

Tested by: Vladimir Makarov

~~Test Date: Jun-2024~~

~~Hardware Availability: Now~~

~~Software Availability:~~

Peak Unknown Flags (Continued)

620.omnetpp_s: "-fcommon -std=c++14ARRAY(0xac16168)
"-fcommon -std=c++14ARRAY(0xac32988)

623.xalancbmk_s: "-fcommon -std=c++14ARRAY(0xac16960)
"-fcommon -std=c++14ARRAY(0xad5dd98)

625.x264_s: "-fcommonARRAY(0xac15e38) "-fcommonARRAY(0xad5f2f0)

631.deepsjeng_s: "-fcommon -std=c++14ARRAY(0xac16348)
"-fcommon -std=c++14ARRAY(0xad5cf30)

641.leela_s: "-fcommon -std=c++14ARRAY(0xac516c8)
"-fcommon -std=c++14ARRAY(0xad5bfc0)

648.exchange2_s: "-fallow-argument-mismatchARRAY(0xad5d918)
"-fallow-argument-mismatchARRAY(0xad88bd8)

657.xz_s: "-fcommonARRAY(0xad5e068) "-fcommonARRAY(0xad99dc0)

600.perlbench_s: "-fcommonARRAY(0xad5f398) "-fcommonARRAY(0xad90778)
"-fltoARRAY(0xada02e0)

602.gcc_s: "-fcommonARRAY(0xad5c320) "-fcommonARRAY(0xad9fb0)
"-fltoARRAY(0xad5a0f0)

605.mcf_s: "-fcommonARRAY(0xad81a68) "-fcommonARRAY(0xada5750)
"-fltoARRAY(0xada89e8)

620.omnetpp_s: "-fcommon -std=c++14ARRAY(0xad5d900)
"-fcommon -std=c++14ARRAY(0xada4d00)
"-fltoARRAY(0xada7bc8)

623.xalancbmk_s: "-fcommon -std=c++14ARRAY(0xacdf198)
"-fcommon -std=c++14ARRAY(0xada8820)
"-fltoARRAY(0xada0838)

625.x264_s: "-fcommonARRAY(0xada83d0) "-fcommonARRAY(0xada07c0)
"-fltoARRAY(0xada4c70)

631.deepsjeng_s: "-fcommon -std=c++14ARRAY(0xad9fd10)
"-fcommon -std=c++14ARRAY(0xada0388)
"-fltoARRAY(0xada4278)

641.leela_s: "-fcommon -std=c++14ARRAY(0xada8838)
"-fcommon -std=c++14ARRAY(0xada76e8)
"-fltoARRAY(0xadb2700)

(Continued on next page)

SPEC CPU2017 Integer Speed Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

(Test Sponsor: Red Hat, Inc.)

~~SPECspeed2017_int_base = 6.88~~

~~SPECspeed2017_int_peak = 8.31~~

CPU2017 License: 0002991

Test Sponsor: Red Hat, Inc.

Tested by: Vladimir Makarov

~~Test Date:~~

~~Jun-2024~~

~~Hardware Availability: Now~~

~~Software Availability:~~

Peak Unknown Flags (Continued)

648.exchange2_s: "-fallow-argument-mismatchARRAY(0xada07d8)
"-fallow-argument-mismatchARRAY(0xada40b0)
"-fltoARRAY(0xadbd3328)

657.xz_s: "-fcommonARRAY(0xada8340) "-fcommonARRAY(0xadbd2538)
"-fltoARRAY(0xadbd3f50)

Base Compiler Invocation

C benchmarks:

gcc

C++ benchmarks:

g++

Fortran benchmarks:

gfortran

Base Portability Flags

600.perlbench_s: -DSPEC_LINUX_X64 -DSPEC_LP64
602.gcc_s: -DSPEC_LP64
605.mcf_s: -DSPEC_LP64
620.omnetpp_s: -DSPEC_LP64
623.xalancbmk_s: -DSPEC_LINUX -DSPEC_LP64
625.x264_s: -DSPEC_LP64
631.deepsjeng_s: -DSPEC_LP64
641.leela_s: -DSPEC_LP64
648.exchange2_s: -DSPEC_LP64
657.xz_s: -DSPEC_LP64

Base Optimization Flags

C benchmarks:

-z muldefs -O2 -mtune=generic -fopenmp -DSPEC_OPENMP -fgnu89-inline
-fno-strict-aliasing

(Continued on next page)

SPEC CPU2017 Integer Speed Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

(Test Sponsor: Red Hat, Inc.)

~~SPECspeed2017_int_base = 6.88~~

~~SPECspeed2017_int_peak = 8.31~~

CPU2017 License: 0002991

Test Sponsor: Red Hat, Inc.

Tested by: Vladimir Makarov

~~Test Date:~~

~~Jun-2024~~

~~Hardware Availability: Now~~

~~Software Availability:~~

Base Optimization Flags (Continued)

C++ benchmarks:

-O2 -mtune=generic -fopenmp -DSPEC_OPENMP

Fortran benchmarks:

-O2 -mtune=generic -DSPEC_OPENMP -fopenmp

Peak Compiler Invocation

C benchmarks:

gcc

C++ benchmarks:

g++

Fortran benchmarks:

gfortran

Peak Portability Flags

Same as Base Portability Flags

Peak Optimization Flags

C benchmarks:

-z muldefs -Ofast -mtune=corei7 -march=core-avx2 -fopenmp
-DSPEC_OPENMP -fgnu89-inline -fno-strict-aliasing

C++ benchmarks:

-Ofast -mtune=corei7 -march=core-avx2 -fopenmp -DSPEC_OPENMP

Fortran benchmarks:

-Ofast -mtune=corei7 -march=core-avx2 -DSPEC_OPENMP -fopenmp

SPEC is a registered trademark of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester. For other inquiries, please contact info@spec.org.

Tested with SPEC CPU2017 v1.0.1 on 2024-06-25 16:57:31-0400.

Report generated on 2024-06-25 22:51:06 by CPU2017 PDF formatter v5748.